

#### COPYRIGHT AND TRADEMARKS

All copyright and other intellectual property rights in the information contained in this website (including but not limited to text, images, and software) are owned by Hapro International bv. Persons, accessing this website are permitted to download extracts of this website. But in all cases only for personal, informational and non-commercial purposes. No reproduction may be sold or distributed for commercial gain nor be modified or incorporated in any other work, publication or website. No other rights or licenses are assigned or shall otherwise pass to persons accessing this website. All trademarks are emblems displayed on this website are owned or used under license by Hapro International bv.

### COPYRIGHT AND TRADEMARKS

De bestanden op www.hapro.com mogen vrij gedownload worden mits aan de volgende voorwaarden wordt voldaan. Alle gegevens mogen enkel voor eigen gebruik worden toegepast. Het materiaal mag op generlei wijze aan derden worden verstrekt of openbaar worden gemaakt. Zonder uitdrukkelijke toestemming van Hapro mogen bestanden, logo's, beeldmateriaal of delen daarvan niet worden hergebruikt. Met het downloaden van materiaal van www.hapro.com verklaart de gebruiker met deze voorwaarden in te stemmen. Hapro behoudt zich het recht voor om schenders van het auteursrecht te vervolgen.

### COPYRIGHT UND WARENZEICHEN

Sämtliche Inhalte dieser Webseite (Texte, Bilder und Software) sind Eigentum von Hapro International bv. und urheberrechtlich geschützt. Ausschließlich zur persönlichen Nutzung (private, persönliche, informelle Zwecke) dürfen Inhalte dieser Webseite heruntergeladen werden. Jegliche gewerbliche Nutzung von heruntergeladenen Inhalten dieser Webseite ist jedoch untersagt. Inhalte dürfen weder verkauft noch zu gewerblichen Zwecken verbreitet werden und nicht in andere Veröffentlichungen oder Internetseiten übernommen werden, auch nicht in veränderter Form. Außerhalb der eingeräumten Nutzungsrechte werden dem Nutzer keine weiteren Rechte eingeräumt. Alle auf dieser Webseite gezeigten Warenzeichen sind Eigentum von Hapro International bv. oder werden von Hapro International bv. mit Lizenz verwendet. Durch den Download bei www.hapro.com erklärt sich der Nutzer dieser Webseite mit diesen Bedingungen einverstanden. Hapro behält es sich vor, Verletzungen des Urheberrechts zu verfolgen.





# **Body Beautiful**

The Luxura  $x_5$  and Luxura  $x_7$ . Works of art for your studio. The design reflects the inner values of an innovative concept, in which hightech and beauty undergo complete symbiosis. The highly attractive Luxura elegance gives its all for the sake of the ideal of beauty. Luxura  $x_5$  and  $x_7$  represent the attractive highlight for your studio's atmosphere. Luxury for your image.






# Luxura x<sub>7</sub>: With Many Extra Features

If you are interested in wellness, you are the kind of person who likes to treat himself to some luxury now and then. After all, you deserve to spoil yourself with something unusual. Which is why, right from the start, Hapro designed the Luxura  $x_7$  sunbed – including different models with 38-42 tubes – with a number of attractive extra features. These include a screen between top and base, finished in the same colour as the sunbed itself. And then there is the backFlex shoulder tanner\*. And the head and body cooler. And much more besides.

<sup>\*</sup> Not included in the 40- and 42-tube models, which are equipped with XL-Light technology in the base.






## Luxura x<sub>5</sub>: The All-Round Talent


Turn your Luxura  $x_5$  into a sunbed with all the trimmings. Speakers, Sound Around, Smart Voice and myMP3 - there's hardly anything that can not be integrated with this all-round talent. BackFLEX shoulder tanner can also be delivered as well as an air conditioning unit, Xsens and Qsens\*. Decorative screen between top and base and the face and body coolers are integrated as standard. Enter the premium class of sunbeds!

\* Qsens can be delivered from May 2006 presumably.



The perfect equipment for a perfect tanning result. The LED blower decor light: an attractive attention grabber.







# Harmony Out Of Form And Function

This is how an exemplary sunbed design looks: the first glance alone promises a special kind of tanning experience. And then there are the functional details! For example the face cooler. This can simply not be missing with a piece of equipment of this class. This is why Hapro has integrated it as a standard feature. The same applies for the body cooler. Both coolers can be regulated in five steps.





# How About A Little More Comfort?

The human body has a contoured profile. It's outline is composed of a variety of curves.

This is why the bed surface has been designed with an ergonomic profile, thanks to contourPLUS\*. This turns a conventional acrylic bed into an oasis of comfort, tailor made to fit each individual shape. Once you have experienced contourPLUS, you will never want to do without it.

\* Standard feature of the Luxura  $x_7$  only; available as an option for the Luxura  $x_5$ 







## High-Tech Light For Ideal Tanning

The many  $x_5$  and  $x_7$  variants tan with different light concepts. The range goes from 34 tubes (Luxura  $x_5$ ) onto 38 and 40 tubes up to 42 tubes in the top model of the  $x_7$  range. Generally you have the choice between SLi and SPr tubes in the versions "Intensive" or "High Intensive". The  $x_7$  variants with 38 tubes have as standard a backFLEX shoulder tanner, the variants with 40 and 42 tubes have as standard XL-light, 2 m-technology in the base.



HPS - the High Power System - for more efficiency and more intensive tanning.



Light for the whole body: the 2 metre tubes for an ideal tan.









### There's Music In There

How would you like hot samba rhythms when tanning? Or gentle Mediterranean sounds? Or what do you think of calypso? The many features leave no music wish unfulfilled. All  $x_7$  models are equipped with speakers\*, and the 42-tube variant even has a sound-around system and a connection for MP3 players. Sun lovers can either insert their own MP3 player or select one of the four music channels in the studio. Sounds great, doesn't it?



<sup>\*</sup> Optional for Luxura x<sub>5</sub>



Fragrant scent is wafted into the interior through the ventilation system. Available in fragrances "Citrus", "Exotic" or "Ocean".



A completely natural cooling experience. Refreshing water is sprayed into the room via the ventilation system. Presumably from May 2006 available.



More comfort thanks to the ergonomically shaped lying area which is ideally adapted to the body contours.



A friendly voice greets the users and guides them through the device functions with supporting information.



High Power System: Special filter in SLi face tanner provides, with its mirror reflexes, a top quality design, more efficiency and direct pigmentation.



In the integrated shoulder tanner the beams are diverted to the shoulders via reflection without any additional energy expenditure.



Air conditioning system for cooling the ergonomically moulded lying area. The users can switch this on and off as they choose.



Connection for a portable MP3 player. The user can connect his or her own equipment, or plug in a device provided by the studio.



2 m tubes in XL-format for a perfect tan.



4 integrated speakers in the head and foot area and a subwoofer ensure a three-dimensional sound experience.

EasyLift Acrylic system

| Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Image: Acrylic system | Ima

acrylic surface is removed and inserted


again in an instant.



## Time Is Money

Cleaning equipment, replacing tubes, conducting technical services. All no problem. Hapro writes to its designers in the customer requirement specifications that they have to develop only such tanning devices whose maintenance requires no annoying time consuming assembly work. And this has been a perfect success once more again here. For example with the EasyLift Acrylic system. With this the acrylic surface can be removed and attached again very easily. Finally Luxura  $\mathbf{x}_5$  and Luxura  $\mathbf{x}_7$  should not give rise to any unnecessary expenditure but will lead to satisfied sun studio visitors.

















	38 SLi	38 SLi Int.	38 SLi H. Int.	40 SPr	40 SPr Int.	40 SPr H. Int.	42 SLi	42 SLi Int.	42 SLi H. Int.
surface	Metallic effect	Metalliceffekt	Metallic effect						
Inside lighting	•	•	•	•	•	•	•	•	•
Tubes top	22 x 100 W	22 x 160 W	22 x 160 W	22 x 120 W	22 x 180 W	22 x 180 W	24 x 100 W	24 x 160 W	24 x 160 W
Tubes base	16 x 100 W	16 x 100 W	16 x 160 W	18 x 120 W	18 x 120 W	18 x 180 W	18 x 120 W	18 x 120 W	18 x 180 W
Face tanner	3 x 400 W	3 x 400 W	3 x 400 W	23 x 25 W	23 x 25 W	23 x 25 W	4 x 400 W	4 x 400 W	4 x 400 W
Luxura filter technology	•	•	•	-	-	-	•	•	•
HPS	0	0	0	-	-	-	0	0	0
2 m tubes in base¹	_	-	-	•	•	•	•	•	•
5 step adjustable body cooler	•	•	•	•	•	•	•	•	•
5 step adjustable face cooler	•	•	•	•	•	•	•	•	•
LED blower decor light	•	•	•	•	•	•	•	•	•
Decorative panel in colour of sunbed	•	•	•	•	•	•	•	•	•
Loudspeakers (2)	•	•	•	•	•	•	•	•	•
sound around including myMP3	0	0	0	0	0	0	•	•	•
smart voice <sup>2</sup>	0	0	0	0	0	0	0	0	0
contourPLUS	•	•	•	•	•	•	•	•	•
Xsens	0	0	0	0	0	0	0	0	0
Qsens <sup>3</sup>	0	0	0	0	0	0	0	0	0
CliMax <sup>4</sup>	0	0	0	0	0	0	0	0	0
backFLEX	•	•	•	O <sup>5</sup>					
Dust filters	•	•	•	•	•	•	•	•	•
EasyLift Acrylic system	•	•	•	•	•	•	•	•	•
Sound volume adjustment <sup>2</sup>	•	•	•	•	•	•	•	•	•
LCD timer display	•	•	•	•	•	•	•	•	•
Programmable internal timer	•	•	•	•	•	•	•	•	•
Connection for external timer	•	•	•	•	•	•	•	•	•
Hour counter	•	•	•	•	•	•	•	•	•
2nd hour counter with reset-function	•	•	•	•	•	•	•	•	•
Connection	400 V - 50 Hz 3~N/PE								
Power (with CliMax)	ca. 7.3 (7.1) kW	ca. 7.6 (8.3) kW	ca. 9.3 (10.4) kW	ca. 5.8 (6.6) kW	ca. 7.4 (8.2) kW	ca. 8.7 (9.4) kW	ca. 7.2 (8.0) kW	ca. 9.0 (9.9) kW	ca. 10.2 (10.8) k\
Fuses	3 x 16 A	3 x 20 A	3 x 16 A	3 x 20 A	3 x 25 A				
Weight (excl. packaging) (CliMax + 50kg)	285 kg	305 kg	325 kg	295 kg	315 kg	330 kg	305 kg	325 kg	340 kg

<sup>=</sup> As standard , O = Optional



Specifications are subject to change without notice. The devices shown sometimes include special equipment.

<sup>&</sup>lt;sup>1</sup> On demand 42 SLi, 42 SLi Int., 42 SLi H. Int., 40 SPr, 40 SPr Int. and 40 SPr H. Int. are available with 1,80 m tubes and shoulder tanner.

<sup>&</sup>lt;sup>2</sup> Only available in combination with sound around.

<sup>&</sup>lt;sup>3</sup> Presumably from Mai 2006 available.

<sup>&</sup>lt;sup>4</sup> CliMax only available in combination with contourPLUS.

<sup>&</sup>lt;sup>5</sup> Only available in combination with 1,80 m tubes in the base.

surface	
Inside lighting	
Tubes top	
Tubes base	
Face tanner	
Luxura filter technology	
HPS	
5 step adjustable body cooler	
5 step adjustable face cooler	
LED blower decor light	
Decorative panel silver	
Loudspeakers (2) in face cooler	
sound around including myMP3	
smart voice¹	
contourPLUS	
Xsens	
Qsens <sup>2</sup>	
CliMax³	
backFLEX	
Dust filters	
EasyLift Acrylic system	
Sound volume adjustment <sup>1</sup>	
LCD timer display	
Programmable internal timer	
Connection for external timer	
Hour counter	
2nd hour counter with reset-function	
Connection	
Power (with CliMax)	
Fuses	
Weight (excl. packaging) (CliMax + 50kg	<b>J</b> )

34 SLi	34 SLi Int.	34 SLi H. Int.	34 SPr
Metallic effect	Metallic effect	Metallic effect	Metallic effect
•	•	•	•
18 x 100 W	18 x 160 W	18 x 160 W	18 x 120 W
16 x 100 W	16 x 100 W	16 x 160 W	16 x 100 W
3 x 400 W	3 x 400 W	3 x 400 W	11 x 25 W
•	•	•	-
0	0	0	-
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
0	0	0	0
0	0	0	0
0	0	•	0
0	0	0	0
0	0	0	0
0	0	0	-
0	0	0	0
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
400 V - 50 Hz 3~N/PE			
ca. 5.9 (6.6) kW	ca. 7.0 (7.7) kW	ca. 8.5 (9.3) kW	ca. 4.8 kW
3 x 16 A			
265 kg	280 kg	295 kg	255 kg



<sup>• =</sup> As standard, O = Optional Specifications are subject to change without notice. The devices shown sometimes include special equipment

<sup>&</sup>lt;sup>1</sup> Only available in combination with sound around.

<sup>&</sup>lt;sup>2</sup> Presumably from Mai 2006 available.

<sup>&</sup>lt;sup>3</sup> Only available in combination with contourPLUS.

# Technical data and features























Features optional or standard according to variants







sunrise orange



eternal blue









www.hapro.com